

## 21.5" LCM ECO-Friendly Paper Display Transflective with Backlight



## **LCM ECO-Friendly Paper Display Transflective type**

Backlight, 16.7M Colors 54.61 cm / 21.5" Diagonal

- 21.5" Transflective TFT-LCD Module
- Backlight system
- HannStar Argentum Birefringence Display Technology
- Sunlight Readable
- 16.7M Display Colors
- Resolution 1920 x 1080
- Wide temperature range -20°C ~ +70°C
- Interface: LVDS
- Fast response time
- Eco-friendly / Eye-Care
- Ultra-Low power consumption



The HSD215GUW1-90000A-MX is a color active matrix thin film transistor (TFT) liquid crystal display (LCD) that uses amorphous silicon TFT as a switching device.

It is a transflective-type display that consists of a TFT LCD panel, driving circuit, and a backlight system.

With a 21.5-inch diagonal measurement, the active display area features a resolution of 1920 horizontal by 1080 vertical pixels.

54.61 cm / 21.5"

Part No.: HSD215GUW1-90000A-MX



21.5" / 54.61cm



LVDS



Wide Temperature  $-20^{\circ}\text{C} \sim +70^{\circ}\text{C}$ 



Backlight System



Sunlight Readable



Resolution 1920 x 1080



16.7M Colors



5 msec



Ultra-Low Power Consumption



Eye Care



## HannStar 21.5" LCM ECO-Friendly Paper Display **Transflective with Backlight**



| Display Type                      | Transflective TFT-LCD Module with backlight system   |  |  |  |
|-----------------------------------|--|--|--|--|
| Diagonal                          | 21.5" (54.61 cm)                                     |  |  |  |
| Resolution                        | 1920 (H) x 1080 (V) pixels                           |  |  |  |
| Display Color                     | 16.7M Colors by 8 bit R.G.B. signal input            |  |  |  |
| Outline Dimension                 | 494 (H) x 290.6 (V) x 9.9 (D) mm                     |  |  |  |
| Display Area                      | 476.64 (H) x 268.11 (V) mm                           |  |  |  |
| Pixel Pitch                       | 0.24825 (H) x 0.24825 (V) mm                         |  |  |  |
| PPI                               | 89 PPI   |  |  |  |
| Viewing Angle, Light Source Off   | 65/65° H - 65/65° V                                  |  |  |  |
| Viewing Angle, Light Source On    | 65/65° H - 65/65° V                                  |  |  |  |
| White Luminance (Light Source On) | 200 cd/m2 typ TBC                                    |  |  |  |
| Contrast Ratio                    | 15   |  |  |  |
| Interface                         | LVDS   |  |  |  |
| Frame Rate                        | 60 Hz  |  |  |  |
| Response time, Light Source Off   | 5 msec (Typ.)  |  |  |  |
| Response time, Light Source On    | 6 msec (Typ.)  |  |  |  |
| Operating Temperature             | -20°C ~ +70°C  |  |  |  |
| Storage Temperature               | -30°C ~ +80°C  |  |  |  |
| Surface Treatment                 | HCLR (Glare)   |  |  |  |
| Power Consumption                 | 1.892 mW (Logic System) / 41.7 mW (Backlight System) |  |  |  |
| Weight                            | TBC  |  |  |  |
| Declaration                       | RoHS Compliance & Halogen Free                       |  |  |  |

|          | 12:40 | OSLO                                    |          |            | OS258      | B10        | CANCELLED |       |
|----------|-------|---|----------|------------|------------|------------|-----------|-------|
|          | 12:55 | DUBAI                                   |          |            |            | C31        |           |       |
|          | 13:03 | BOLOGN                                  | IA       |            |            | A4         |           |       |
|          |       |   |          |            |            |            |           |       |
| - a s m. |       | 7.0000000000000000000000000000000000000 |          | I n MERCAL |            | -2         | 1 25      |       |
|          |       | Sta fiel                                |          |            | 0-72       | 62150-X0-A |           |       |
|          |       |   | imi mule | 600        | - dummand, | 62100-X0-A |           | ·唯[唯] |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |
|          |       |   |          |            |            |            |           |       |

**DEPARTURES** 

Time Destination 12:00 HONG-KONG 12:03 LONDON **NEW YORK** AMSTERDAM **BUENOS AIRES** DUSSELDORF

© 2023 HANNSpree Europe Holdings B.V. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ slightly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not be available for purchase in your particular country or locality. Please check with your local HANNspree authorized representatives for the availability of specific products in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

Part No.: HSD215GUW1-90000A-MX



## HannStar 21.5" LCM ECO-Friendly Paper Display **Transflective with Backlight**



